



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/574,823	11/29/2006	Wilhelmus Petrus Johannes De Kruijf	3135-061099	3652
28389 7590 04/06/2010 THE WEBB LAW FIRM, P.C. 700 KOPPERS BUILDING 436 SEVENTH AVENUE PITTSBURGH, PA 15219				
EXAMINER				
CONLEY, FREDRICK C				
ART UNIT		PAPER NUMBER		
3673				
MAIL DATE		DELIVERY MODE		
04/06/2010		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.



UNITED STATES DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office

Address : COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
10574823	11/29/2006	DE KRUIJF, WILHELMUS PETRUS JOHANNES	3135-061099

THE WEBB LAW FIRM, P.C.
700 KOPPERS BUILDING
436 SEVENTH AVENUE
PITTSBURGH, PA 15219

EXAMINER

FREDRICK C. CONLEY

ART UNIT

PAPER

3673

20100401

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

It has been over 30 days since the first interview summary was mailed to the attorney on 02/18/10 and the Examiner informed the Applicant's representative that the informal hand written changes to the specification faxed to the Examiner on 2/12/10 do not constitute a proper and official response. The applicant has 30 days to submit the required information in the letter in order to avoid abandonment. As previously stated, AMDTS TO THE SPECIFICATION (A.PE AND SPEC 4-6-2006) DO NOT COINCIDE WITH THE GIVEN LOCATION OF THE ACTUAL SPECIFICATION. In order to avoid abandonment of the Application the Applicant's representative should fax an official amendment to 571-273-8300.

/FREDRICK C CONLEY/
Primary Examiner, Art Unit 3673